

Package: UEI (via r-universe)

August 31, 2024

Type Package

Title Compute Uniform Error Index

Version 0.1.0

Author Mr. Ankit Kumar Singh [aut], Dr. Ranjit Kumar Paul [aut, cre],
Dr. Md Yeasin [aut], Ms. Anita Sarkar [aut], Dr. Amrit Kumar
Paul [aut]

Maintainer Dr. Ranjit Kumar Paul <ranjitstat@gmail.com>

Description Uniform Error Index is the weighted average of different error measures. Uniform Error Index utilizes output from different error function and gives more robust and stable error values. This package has been developed to compute Uniform Error Index from ten different loss function like Error Square, Square of Square Error, Quasi Likelihood Error, LogR-Square, Absolute Error, Absolute Square Error etc. The weights are determined using Principal Component Analysis (PCA) algorithm of Yeasin and Paul (2024) <doi:10.1007/s11227-023-05542-3>.

License GPL-3

Encoding UTF-8

Imports FactoMineR, factoextra, Metrics

RoxygenNote 7.3.2

NeedsCompilation no

Date/Publication 2024-07-31 10:00:01 UTC

Repository <https://ranjitstat.r-universe.dev>

RemoteUrl <https://github.com/cran/UEI>

RemoteRef HEAD

RemoteSha 1d8f3515ddeb0830fb84a58ad956e235bda2deeb

Contents

UEI	2
Index	3

UEI

Uniform Error Index

Description

Uniform Error Index

Usage

```
UEI(actual, predicted)
```

Arguments

actual	Univariate Data Series
predicted	Predicted Data Series from Models

Value

- ErrorSeries: Uniform Error Index Series
- ErrorMetrics: Values of Different Error Measures i.e.,Relative Absolute Error (RAE),Mean Absolute Error(MAE),Median Absolute Error (MDAE),Mean Absolute Percent Error (MAPE),Root Mean Squared Error (RMSE),Mean Squared Error (MSE),Symmetric Mean Absolute Percentage Error(SMAPE), Sum of Squared Errors (SSE),Mean Uniform Error Index (MUEI).

References

- Yeasin, M. and Paul, R.K., 2024. OptiSembleForecasting: optimization-based ensemble forecasting using MCS algorithm and PCA-based error index. The Journal of Supercomputing, 80(2), pp.1568-1597.

Examples

```
library("UEI")
actual<- as.ts(rnorm(50,100,50))
predicted<- as.ts(rnorm(50,110,60))
Result <- UEI(actual, predicted)
```

Index

UEI, [2](#)