

# Package: VIRF (via r-universe)

August 30, 2024

**Type** Package

**Title** Computation of Volatility Impulse Response Function of Multivariate Time Series

**Version** 0.1.0

**Author** Dr. Ranjit Kumar Paul and Mr. Ankit Tanwar

**Maintainer** Dr. Ranjit Kumar Paul <[ranjitstat@gmail.com](mailto:ranjitstat@gmail.com)>

**Description** Computation of volatility impulse response function for multivariate time series model using algorithm by Jin, Lin and Tamvakis (2012) <[doi.org/10.1016/j.eneco.2012.03.003](https://doi.org/10.1016/j.eneco.2012.03.003)>.

**License** GPL

**Imports** stats, rmgarch, mgarchBEKK, gnm, expm, BigVAR, ks, matrixcalc, matlib

**LazyData** TRUE

**NeedsCompilation** no

**Date/Publication** 2019-05-01 06:50:03 UTC

**Repository** <https://ranjitstat.r-universe.dev>

**RemoteUrl** <https://github.com/cran/VIRF>

**RemoteRef** HEAD

**RemoteSha** 94c1bb6c63b073d2e4b979ce81516b8914608366

## Contents

VIRF	2
------	---

Index	3
-------	---

VIRF

*Volatility Impulse Response Function***Description**

Provide information about the impact of independent shocks on volatility.

**Usage**

```
VIRF(data, shock)
```

**Arguments**

data	log return multivariate time series
shock	shock time point from time series

**Value**

virfresult	List containing variance and covariance values
------------	--

**References**

Anthony, N.R. and Ahammad, S.M. 2016. Investigating the interdependency of agricultural production volatility spillovers between Bangladesh, India, and Pakistan. *Review of Urban and Regional Development Studies*, 28, 32 to 54 Jin, X., Lin, S.X. and Tamvakis, M. 2012. Volatility transmission and volatility impulse response functions in crude oil markets. *Energy Economics*, 34, 2125 to 2134

**Examples**

```
k=3 #number of series
p=6 # maximum lag order
ns=100 #number of simulations
B=matrix(0,nrow=k,ncol=p*k)
A1<- matrix(c(.4,-.02,.01,-.02,.3,.02,.01,.04,.3),ncol=3,nrow=3)
A2 <- matrix(c(.2,0,0,0,.3,0,0,0,.13),ncol=3,nrow=3)
B[,1:k]=A1
B[, (4*k+1):(5*k)]=A2
A <- BigVAR:::VarptoVar1MC(B,p,k)
Y <-BigVAR:::MultVarSim(k,A,p,.1*diag(k),ns)
lr<-VIRF(Y,40) # Y: multivariate time series data, shock time point: 40
print(lr)
```

# **Index**

VIRF, 2